

## Contents

<b>Preface .....</b>	<b>ix</b>
<b>1. Scope: calibration and validation .....</b>	<b>1</b>
<b>2. Definitions .....</b>	<b>3</b>
2.1 Equipment .....	3
2.2 Measurement .....	3
2.3 Calibration and validation .....	4
2.4 Statistical terms .....	5
<b>3. General considerations: calibration and validation.....</b>	<b>9</b>
<b>4. Preconditions for analyser calibration and validation .....</b>	<b>11</b>
4.1 General .....	11
4.2 Factory Acceptance Testing (FAT) .....	11
4.3 Site installation .....	11
4.4 Site Acceptance Testing (SAT) .....	12
4.5 Site precision .....	12
4.6 Read-out instrumentation .....	12
<b>5. Principles of initial calibration, correlation and initial validation.....</b>	<b>13</b>
5.1 Initial calibration and correlation .....	13
5.2 Probationary/initial validation .....	14
5.3 Analyser result and accepted reference value comparison methods.....	14
<b>6. Principles of routine validation and calibration adjustment .....</b>	<b>15</b>
6.1 General .....	15
6.2 Analyser result and reference test/primary test method comparison techniques .....	16
6.2.1 Reference sample method .....	16
6.2.2 Paired sample method .....	16
6.3 Routine validation (scheduled check of continuing performance).....	17
6.4 Calibration adjustment (adjustment, if required, to re-establish analyser results within performance limits).....	17
6.5 Routine validation and calibration adjustment intervals .....	18
6.6 Number of result values required for routine validation and calibration adjustment .....	19
6.7 Routine validation and calibration adjustment of model based/chemometric process analysers.....	20
<b>7. Comparison methods: reference sample method and paired sample method .....</b>	<b>21</b>
7.1 Comparing analyser and reference method results .....	21
7.2 Routine validation and calibration adjustment using the reference sample method .....	22
7.2.1 Advantages and limitations .....	22
7.2.2 Choice of reference samples .....	23
7.2.3 Testing of reference samples .....	23
7.3 Routine validation and calibration adjustment using the paired sample method .....	24
7.3.1 Advantages and limitations .....	24
7.3.2 Collecting paired sample results .....	25
<b>8. Evaluation of routine validation and calibration adjustment results: use of statistical tools and control charts.....</b>	<b>27</b>
8.1 General .....	27
8.2 Use of statistical tools .....	27
8.3 Routine validation and calibration adjustment: use of control charts.....	27
8.3.1 CUSUM approach .....	29
8.4 Control chart limits .....	30

8.5 Control chart limits derived from analyser reference sample or paired sample laboratory data.....	31
<b>Appendix 1: Example interpretation of control chart readings .....</b>	<b>33</b>
<b>Appendix 2: Determination of control chart limits by measuring standard deviations of differences.....</b>	<b>35</b>
<b>References and Bibliography .....</b>	<b>37</b>

## Figures

<b>Figure 1 Example of a control charting diagram.....</b>	<b>28</b>
<b>Figure 2 Examples of analyser results in a CUSUM chart.....</b>	<b>29</b>
<b>Figure 3 Example of accurately distributed control chart reading.....</b>	<b>33</b>
<b>Figure 4 Example of biased control chart reading.....</b>	<b>33</b>
<b>Figure 5 Example of drifting control chart reading.....</b>	<b>33</b>
<b>Figure 6 Example control chart reading; value outside warning limit.....</b>	<b>34</b>
<b>Figure 7 Example determination of control chart limits by measuring standard deviations.....</b>	<b>36</b>

## Tables

<b>Table 1 Sample validation uncertainty results.....</b>	<b>19</b>
<b>Table 2 Example of the control chart limits for a distillation analyser.....</b>	<b>35</b>