

# Contents

---

<b>Contents .....</b>	<b>V</b>
<b>Figures &amp; Tables.....</b>	<b>VIII</b>
<b>1 Scope .....</b>	<b>1</b>
<b>2 Acronyms/Abbreviations &amp; Terminology .....</b>	<b>2</b>
2.1 Acronyms/Abbreviations.....	2
2.2 Terminology.....	4
<b>3 Description of Connector Types .....</b>	<b>5</b>
3.1 Grooved Flange Type .....	5
3.2 Elastic Strain Preload Type .....	6
3.3 Tapered Locking System Type.....	7
3.4 Grip and Seal Type.....	9
3.5 Flared Type .....	10
3.6 Machined Pipe Groove Type .....	12
3.7 Miscellaneous Pipe Connectors and Flange Adaptors .....	13
<b>4 Local Law and Regulatory Requirements .....</b>	<b>14</b>
<b>5 Selection of Mechanical Connector Type.....</b>	<b>15</b>
<b>6 Temporary versus Permanent .....</b>	<b>18</b>
6.1 Guidance on Mechanical Connector Design Life .....	18
6.1.1 Grooved Flange Type .....	18
6.1.2 Elastic Strain Preload Type .....	18
6.1.3 Tapered Locking System Type.....	19
6.1.4 Grip and Seal Type.....	19
6.1.5 Flared Type .....	19
6.1.6 Machined Pipe Groove Type .....	19
6.2 Guidance on Defined Life .....	20
<b>7 Management of Change for use of Mechanical Connectors .....</b>	<b>21</b>
<b>8 Qualification .....</b>	<b>22</b>
8.1 Type Approval / Type Testing.....	22
8.2 User Approval.....	23

<b>9 Initial Fabrication &amp; Pre-Commissioning checks.....</b>	<b>24</b>
9.1 Code Conformity.....	24
9.2 Shelf Life.....	24
9.3 PMI & 3rd Party Assurance.....	24
<b>10 Installation.....</b>	<b>25</b>
10.1 Pre-Installation checks.....	25
10.2 Competency.....	25
10.2.1 Installer Training & Qualifications.....	25
10.3 Joint Integrity Test.....	26
10.4 Method of recording the installation.....	26
10.5 General Installation Requirements.....	27
10.5.1 Grooved Flange Type.....	27
10.5.2 Elastic Strain Preload Type.....	28
10.5.3 Tapered Locking System Type.....	29
10.5.4 Grip and Seal Type.....	30
10.5.5 Flared Type.....	30
10.5.6 Machined Pipe Grooved Type.....	31
10.6 Coating / Protection Post-Installation.....	31
<b>11 Retirement of Mechanical Connector.....</b>	<b>33</b>
<b>12 Inspection.....</b>	<b>34</b>
12.1 In Service Inspection.....	34
12.1.1 Grooved Flange Type.....	34
12.1.2 Elastic Strain Preload Type.....	34
12.1.3 Tapered Locking System Type.....	34
12.1.4 Grip and Seal Type.....	35
12.1.5 Flared Type.....	35
12.1.6 Machined Pipe Grooved Type.....	36
12.2 Inspection Periodicity.....	36
<b>Appendices.....</b>	<b>37</b>
<b>Design Considerations.....</b>	<b>37</b>
<b>Appendix 1 – Grooved Flange Type.....</b>	<b>38</b>
A1.1 – General Principles of Operation.....	38
A1.2 – Materials of Construction (Structural Components).....	39
A1.3 – Design Conditions of Equipment.....	39
A1.4 – Applicable Service.....	39
A1.5 – Service to Avoid.....	40
A1.6 – Axial Restraint.....	40
A1.7 – Cyclic Resistance – thermal and pressure cycles.....	40

A1.8 – Design Impact on Brownfield Piping System.....	40
A1.9 – Non-metallic components e.g. rubber sleeve .....	40
A1.10 – ATEX, Fire Testing & Fugitive Emissions.....	40
<b>Appendix 2 – Elastic Stain Preload Type .....</b>	<b>42</b>
A2.1 – General Principles of Operation .....	42
A2.2 – Materials of Construction (Structural Components) .....	42
A2.3 – Design Conditions of Equipment.....	43
A2.4 – Applicable Service.....	43
A2.5 – Service to Avoid .....	43
A2.6 – Axial Restraint .....	43
A2.7 – Cyclic Resistance – thermal and pressure cycles.....	43
A2.8 – Design Impact on Brownfield Piping System.....	44
A2.9 – Non-metallic components e.g. rubber sleeve .....	44
A2.10 – ATEX, Fire Testing & Fugitive Emissions.....	44
<b>Appendix 3 – Tapered Locking System Type .....</b>	<b>45</b>
A3.1 – General Principles of Operation .....	45
A3.2 – Materials of Construction (Structural Components) .....	46
A3.3 – Design Conditions of Equipment.....	47
A3.4 – Applicable Service.....	47
A3.5 – Service to Avoid .....	47
A3.6 – Axial Restraint .....	47
A3.7 – Cyclic Resistance – thermal and pressure cycles.....	47
A3.8 – Design Impact on Brownfield Piping System.....	48
A3.9 – Non-metallic components e.g. rubber sleeve .....	48
A3.10 – ATEX, Fire Testing & Fugitive Emissions.....	48
<b>Appendix 4 – Grip and Seal Type .....</b>	<b>49</b>
A4.1 – General Principles of Operation .....	49
A4.2 – Materials of Construction (Structural Components) .....	50
A4.3 – Design Conditions of Equipment.....	50
A4.4 – Applicable Service.....	50
A4.5 – Service to Avoid .....	50
A4.6 – Axial Restraint .....	51
A4.7 – Cyclic Resistance – thermal and pressure cycles.....	51
A4.8 – Design Impact on Brownfield Piping System.....	52
A4.9 – Non-metallic components e.g. rubber sleeve .....	52
A4.10 – ATEX, Fire Testing & Fugitive Emissions.....	52
<b>Appendix 5 – Flared Type.....</b>	<b>53</b>
A5.1 – General Principles of Operation .....	53
A5.2 – Materials of Construction (Structural Components) .....	54

A5.3 – Design Conditions of Equipment.....	54
A5.4 – Applicable Service.....	54
A5.5 – Service to Avoid .....	55
A5.6 – Axial Restraint .....	55
A5.7 – Cyclic Resistance – thermal and pressure cycles.....	55
A5.8 – Design Impact on Brownfield Piping System.....	55
A5.9 – Non-metallic components e.g. rubber sleeve .....	55
A5.10 – ATEX, Fire Testing & Fugitive Emissions.....	55

## **Appendix 6 – Machined Pipe Grooved Type..... 57**

A6.1 – General Principles of Operation.....	57
A6.2 – Materials of Construction (Structural Components) .....	58
A6.3 – Design Conditions of Equipment.....	58
A6.4 – Applicable Service.....	59
A6.5 – Service to Avoid .....	59
A6.6 – Axial Restraint .....	59
A6.7 – Cyclic Resistance – thermal and pressure cycles.....	59
A6.8 – Design Impact on Brownfield Piping System.....	59
A6.9 – Non-metallic components e.g. rubber sleeve .....	60
A6.10 – ATEX, Fire Testing & Fugitive Emissions.....	60

## **Figures & Tables**

Figure 1 – Grooved Flange Connector.....	5
Figure 2 – Elastic Strain Preload Connector .....	6
Figure 3 – Tapered Locking Flange.....	7
Figure 4 – Tapered Locking Connector/Coupling.....	8
Figure 5 – High Pressure Tapered Collet Connector .....	8
Figure 6 – Axial Grip & Non Grip Type Couplings .....	9
Figure 7 – Axial Grip & Seal Connector .....	9
Figure 8 – 90° Flared Connector .....	10
Figure 9 – Assembled & Exploded view of 37° Tapered Flared Connector.....	11
Figure 10 – Schematic of Machined Pipe Grooved Coupling.....	12
Figure 11 – Exploded view of Machined Pipe Grooved Mechanical Connector .....	13
Figure 12 – Mechanical Connector Selection Flow Chart.....	16
Figure 13 – Extract from ASME B31.3 (2018) Para 304.7.2.....	23
Figure 14 – Sectional diagram of installed ESP connector.....	28
Figure 15 – Visual checks for a successful ESP connector installation .....	29
Figure 16 – Photograph of sectioned Grooved Flange Type connector showing the two grooves and the deformation of the pipe wall into these grooves. ....	38
Figure 17 – Series of photographs showing the installation process .....	39
Figure 18 – Schematic of ESP connector .....	42

Figure 19 – Schematic of Typical Tapered Locking Type Mechanical Connector .....46

Figure 20 – Typical Grip & Seal Connectors.....49

Figure 21 – Example of additional axial restraint used on large diameter pipework.....51

Figure 22 – General Arrangement of a typical 90° Flared Mechanical Connector.....53

Figure 23 – General Arrangement of a High Pressure Flared Mechanical Connector utilising  
insert cones to mate with the pipe ends .....54

Figure 24 – Schematic of Machined Pipe Grooved Pipe Coupling.....57

Figure 25 – Exploded view of a Machined Pipe Grooved Connector utilising  
metallic seal rings .....58

Table 1 – Mechanical Connector Selection Criteria ..... 17

**EEMUA Publications: Feedback Form..... 61**

**EEMUA Publications Catalogue ..... 62**