

Contents

Preface.....	ix
1. Introduction and use of Specification	1
1.1 Scope.....	1
1.2 Division of responsibilities	1
1.2.1 The Principal.....	1
1.2.2 The Contractor.....	2
1.2.3 The Equipment Vendor.....	3
1.3 Special consideration	4
1.4 Notation and definitions	4
2. Measurement and reporting of equipment noise	9
2.1 Measuring equipment	9
2.2 General requirements for measurements	9
2.2.1 Measurements	9
2.2.2 Sound-level meter and sound intensity meter calibration	9
2.2.3 Measurement of background noise	10
2.2.4 Measurement of fluctuating noise levels.....	10
2.2.5 Test conditions.....	10
2.2.6 Precision	10
2.3 Sound-pressure level measurements.....	10
2.4 Sound-power level determination for equipment.....	10
2.4.1 The small source method.....	14
2.4.2 The large source method	17
2.4.3 The sound intensity method	22
2.4.4 Special techniques for the determination of sound-power level.....	25
2.5 Modifications to these procedures	28
2.6 Test reporting.....	29
3. Calculation methods and procedures	31
3.1 General calculations	31
3.1.1 General.....	31
3.1.2 Addition/subtraction of sound-pressure levels or sound-power levels.....	31
3.1.3 Calculation of mean sound-pressure level	31
3.1.4 Correction for background noise	32
3.1.5 A-weighting.....	33
3.1.6 Calculation of equivalent continuous sound level	33
3.2 Calculation of sound-power level	33
3.2.1 Small-sound method.....	33
3.2.2 Large-sound method.....	34
3.2.3 Correction for semi-reverberant test environment.....	36
3.2.4 Calculation of sound-power from sound intensity measurements	38
3.2.5 Calculation of sound-power level from vibration measurements	38
3.2.6 Calculation of the sound-power level of linear sources	39
3.2.7 Calculation of sound-power at a fan intake or discharge.....	39
3.2.8 Calculations of directivity index	40
3.3 Calculation of sound-pressure levels from sound-power levels	41
3.3.1 Aspects of sound prorogation	41
3.3.2 Estimation of noise levels within plant area	44
3.3.3 Estimation of noise levels at remote areas	44
4. Noise limits for complete plant.....	47
4.1 Broad-band noise.....	47
4.2 Modifications for narrow-band or impulsive noise	47

5. Equipment noise limits	49
5.1 Contractor's specifications	49
5.2 Locations for limits	49
5.3 Equipment components.....	49
5.4 Noise control	49
5.5 Narrow-band and impulsive noise	49
5.6 Fluctuating or intermittent noise.....	49
5.7 Special limits	50
6. Acceptance testing	51
6.1 Noise levels.....	51
6.1.1 General.....	51
6.1.2 Work area noise	51
6.1.3 Neighbourhood noise	51
6.2 Equipment sound-power levels.....	51
Appendix A Correction for a reverberant test environment	53
Appendix B Vibration measurements using a sound-level meter	55
B1 The radiation efficiency of a randomly vibrating plate	55
B2 Calibration and measurements.....	56
B2.1 The measurement of vibratory velocity.....	56
B2.2 The measurement of vibratory-velocity level	57
Appendix C Determining sound-power levels of complete plants ...	59
C1 Contour measurement at ground level	60
C2 Measurements on an enveloping surface	61
Appendix D Model formats for specifying noise limits	63
D1 Noise limits for complete plant.....	63
D1.1 Plant application	63
D1.2 Overriding limits	63
D1.3 Limits for broad-band noise	63
D1.4 Modifications for narrow-band or impulsive noise.....	63
D1.5 Tabulation of noise limits for complete plant	65
D2 Equipment noise limits	66
D2.1 Application of noise limits.....	66
D2.2 Requirements	67
D2.3 Noise limits	67
D2.4 Information to be provided by the vendor.....	68
Appendix E Narrow-band noise	71
E1 General	71
E2 Application	71
E2.1 Octave-band level method	71
E2.2 Narrow-band analysis method	72
E2.3 No external masking noise.....	73
Appendix F The calculation of neighbourhood noise.....	75
F1 Sound-power level at a point in the neighbourhood	75
F1.1 Air absorption	75
F1.2 Ground effects	75
F1.3 Screens.....	76
Appendix G The directivity index for large sources.....	77
References	79
Bibliography	81

Figures

Figure 1 Flow chart for determination of sound-power level	13
Figure 2 Small-source method	16
Figure 3 Large source method - continued in Figure 4	18
Figure 4 Large-source method: with evenly distributed radiation.....	19
Figure 5 Flow chart showing the most appropriate international Standards for determining sound power levels	23
Figure 6 Linear sources: typical measuring positions	27
Figure 7 Addition and subtraction of sound levels.....	32
Figure 8 Correction E3 for a conformal surface from a cuboid	36
Figure 9 Correction for semi-reverberant test environment.....	37
Figure 10 Determining sound-pressure levels in a semi-reverberant room	43
Figure 11 Estimation of sound-pressure level near large sources	43
Figure 12 Determination of correction E_2 for reverberation environment.....	54
Figure 13 Ground effects: minimal screening.....	59
Figure 14 Ground effects: significant screening.....	59
Figure 15 Audibility threshold of pure tone above 1 Hz spectrum.....	71
Figure 16 Attenuation factor, K (dB)	76
Figure 17 Plan of large source showing directivity indices.....	77

Tables

Table 1 Addition of sound power levels.....	31
Table 2 Correction of background noise	33
Table 3 A-weighting values.....	33
Table 4 Near-field correction values	35
Table 5 Correction for near-field error – linear sources	39
Table 6 Correction for near-field error at a distance from source	40
Table 7 Sound-pressure level limits (dB re 2×10^{-5} N/m ²).....	67
Table 8 Sound-power level limits (dB re 10^{-12} W)	67
Table 9 Reductions to sound-pressure level limits	67
Table 10 Modified sound-power level limits	68
Table 11 Tabulated data to be provided by the Vendor	69
Table 12 Audible narrow band noise levels.....	72

Contents

Preface.....	ix
1 Selection of noise limits	1
1.1 Introduction	1
1.2 The selection of limits.....	1
1.2.1 General.....	1
1.2.2 Legal requirements.....	2
1.2.3 Specifying noise limits: sound levels and octave-band levels.....	3
1.3 The use of noise limits in the EEMUA Specification	5
1.3.1 General.....	5
1.3.2 Hearing conservation noise limits.....	6
1.3.3 Speech and work interference noise limits.....	10
1.3.4 Neighbourhood noise limits	11
1.3.5 Accommodation noise limits	16
2 Measuring noise from equipment	17
2.1 General	17
2.2 Sound-pressure levels	17
2.3 Sound-power levels.....	18
2.3.1 General.....	18
2.3.2 The sound intensity method	18
2.3.3 The small source method.....	18
2.3.4 The two surface method	19
2.3.5 The large source method	19
2.3.6 Environmental correction	20
2.3.7 Line sources	21
2.3.8 Vibration measurements.....	21
3 Noise control in plant design	23
3.1 General	23
3.2 Main steps in noise control design for a plant	23
3.3 Calculation by computer	25
Appendix A Example design study for noise control in a refinery	29
A1 Introduction.....	29
A2 Noise Specification for plant	30
A2.1 Neighbourhood-noise limits.....	30
A2.2 Hearing-conservation noise limits	32
A3 Initial design procedure	32
A4 Assessment of noise data from Equipment Vendors	33
A5 Noise-control requirements	35
A5.1 General principle	35
A5.2 Forced-draught furnace.....	35
A5.3 Air-cooled heat exchangers.....	36
A5.4 Centrifugal compressor house	36
A5.5 Centrifugal pump sets	36
A5.6 Diesel generator set	36
A5.7 Control valves.....	36
A5.8 Steam vent	38
A5.9 Assessment of proposals for noise control	38
A6 Use of existing noise to mask narrow-band noise.....	38
Appendix B Noise test reports	39
B1 Noise test report: Forced-draught furnace	39

B1.1 Summary	39
B1.2 Description of furnace and operating conditions	39
B1.3 Measuring equipment and choice of measurement positions	39
B1.4 Measurements	43
B2 Noise test report: Air-cooled heat exchanger	46
B2.1 Summary	46
B2.2 Description of test unit and operating conditions	46
B2.3 Measuring equipment and choice of measurement positions	46
B3 Noise test report: Centrifugal compressor house	50
B3.1 Summary	50
B3.2 Description of test environment	50
B3.3 Measuring equipment and choice of measuring positions	52
B4 Noise test report: Electric motor driven pump	54
B4.1 Summary	54
B4.2 Description of test environment	54
B4.3 Measuring equipment and choice of measuring points	54
B5 Noise test report: Diesel generator set	58
B5.1 Summary	58
B5.2 Description of test environment	58
B5.3 Measuring equipment and choice of measuring positions	58
Appendix C Supplementary sound power noise test report - From sound intensity measurement	63
C1 Noise test report: Centrifugal pump driven by electric motor	63
C1.1 Summary	63
C1.2 Description of test environment	63
C1.3 Measuring equipment and choice of measuring points	63
References	69

Figures

Figure 1 Expansion project plot plan	29
Figure 2 Isometric view of south and west faces showing measuring locations ..	41
Figure 3 Isometric view of north and east faces showing measuring locations ...	42
Figure 4 Sound measurement locations	47
Figure 5 Sketch showing measuring locations.....	51
Figure 6 Test layout and measuring locations	55
Figure 7 Sketch showing measuring locations.....	59
Figure 8 Plan of partial measurement surfaces, areas and measurement points.	65

Tables

Table 1 Octave-band limits to give approximately 55dB(A).....	4
Table 2 A-scale weighting in octave bands	4
Table 3 Octave-band equivalents to sound levels in dB(A).....	5
Table 4 Suppression of narrow bands in work area noise.....	9
Table 5 Speech and work-interference noise limits	10
Table 6 Suppression of narrow bands in neighbourhood noise.....	14
Table 7 Recommended noise limits for living areas on offshore installations.....	16
Table 8 Tabulation of noise limits for complete plant	31
Table 9 Allocation of neighbourhood noise contributions.....	32
Table 10 Contribution to neighbourhood noise	33
Table 11 Contribution to neighbourhood noise after applying noise control	37
Table 12 Modification of sound-pressure level limits for narrow-band noise.....	38
Table 13 Noise test report summary	40
Table 14 Noise and vibration data sheet	44
Table 15 Noise calculation sheet.....	45
Table 16 Calculated sound-power levels re 10^{-12} W	46
Table 17 Noise data sheet	48
Table 18 Noise calculation sheet.....	49
Table 19 Calculated sound-power levels (dB re 10^{-12} W)	50
Table 20 Noise data sheet	52
Table 21 Noise calculation sheet.....	53
Table 22 Calculated sound power level (dB re 10^{-12} W)	54
Table 23 Noise data sheet	56
Table 24 Noise calculation sheet.....	57
Table 25 Calculated sound power levels (dB re 10^{-12} W).....	58
Table 26 Noise data sheet	60
Table 27 Noise data sheet	61
Table 28 Control valve data sheet.....	62
Table 29 Estimated sound power levels	62
Table 30 Results of calibration test	63
Table 31 Partial measurement surfaces and number of measurement points.....	64
Table 32 Calculated partial sound power levels(dB re 10^{-12} W)	65
Table 33 Calculated pump sound power levels (db re 10^{-12} W)	66
Table 34 Calculated motor sound power levels (db re 10^{-12} W)	66
Table 35 Calculated baseplate sound power levels (db re 10^{-12} W)	66
Table 36 Calculated total sound power level (dB re 10^{-12} W)	66
Table 37 Conformity test history to ISO 9614-1(grade 2).....	67

Contents

Preface.....	viii
Abbreviations and definitions.....	ix
1. Introduction.....	1
1.1 Scope	2
1.2 About this Edition	2
2. Types of silencer	5
2.1 Reactive silencer.....	5
2.2 Absorptive silencer.....	6
2.3 Reactive/absorptive silencer	7
2.4 Helmholtz resonators	8
2.5 Diffuser silencers	8
2.6 Multiple orifice silencer	9
2.7 Air entrainment screen silencer.....	10
2.8 Active noise control	11
3. Silencer applications	13
3.1 Venting	13
3.1.1 Continuous venting.....	13
3.1.2 Infrequent or emergency venting.....	14
3.2 Flares.....	15
3.2.1 Elevated flares	15
3.2.2 Ground flares.....	15
3.3 Gas turbines	15
3.3.1 Gas generator intake	16
3.3.2 Power turbine exhaust	16
3.4 Internal combustion engines.....	17
3.5 Compressors and blowers	17
3.5.1 Axial and centrifugal compressors.....	17
3.5.2 Reciprocating compressors	18
3.5.3 Screw compressors.....	18
3.5.4 Blowers.....	19
3.5.5 Fans	19
3.6 Ventilation	19
3.6.1 Natural ventilation.....	20
3.6.2 Forced ventilation.....	20
3.7 Heat exchanger fans	20
3.8 Combustion plant.....	21
3.8.1 Natural draft combustion plant	21
3.8.2 Forced draft combustion plant	22
3.9 Electric motors	22
4. Mechanical considerations	23
4.1 Corrosion.....	23
4.2 Erosion.....	23
4.3 Materials for the absorptive filling.....	24
4.4 Draining	24
4.5 Impermeable membrane.....	24
4.6 Pressure drop.....	25
4.7 Installation	25

4.8 Inspection and maintenance	25
4.9 Temperature effects	26
4.10 Integrity	26
4.11 Vibration isolation	26
5. Acoustic requirements	29
5.1 Specification	29
5.1.1 General.....	29
5.1.2 Dynamic insertion loss	29
5.1.3 Sound power level	29
5.1.4 Sound pressure level	30
5.1.5 Narrow band or tonal noise	30
5.1.6 Details to be agreed between Purchaser and Vendor.....	30
5.2 Testing.....	31
5.2.1 Dynamic insertion loss	31
5.2.2 Sound power level	31
5.2.3 Sound pressure level	32
6. Acoustic enclosures for machines	33
6.1 Application.....	33
6.2 Acoustic performance	33
6.3 Materials of construction	33
6.4 Weather and corrosion protection.....	33
6.5 Sound absorption filling	33
6.6 Impervious membrane.....	34
6.7 Assembling and dismantling	34
6.8 Lifting requirements	34
6.9 Panel joints.....	34
6.10 Vibration isolation	34
6.11 Access doors	34
6.12 Panic-action doors.....	34
6.13 Ventilation and purging	34
6.14 Blast proofing	35
6.15 Details to be agreed between Purchaser and Vendor	35
6.16 Preliminary noise enquiry	39
Appendix A glossary of acoustic terms.....	41
A.1 The decibel	41
A.2 Sound pressure level.....	41
A.3 Sound power level	41
A.4 Frequency	42
A.5 Broadband noise.....	42
A.6 Octave bands	42
A.7 Narrow band or tonal noise	42
Appendix B Model data sheet for specifying a silencer	43
References	47
Bibliography and related EEMUA Publications	47

List of Figures

Figure 1 Reactive silencer.....	5
Figure 2 Rectangular absorptive silencer.....	6
Figure 3 Combined reactive and absorptive silencer	7
Figure 4 Form of Helmholtz resonator	8
Figure 5 Diffuser silencer.....	9
Figure 6 Multi-orifice silencer	10
Figure 7 Air entrainment screen silencer.....	11

List of Tables

Table 1 Model data sheet for acoustic enclosures - Part 1.....	36
Table 2 Model data sheet for acoustic enclosures - Part 1(continued).....	37
Table 3 Part 2: Information to be supplied by the vendor.....	38
Table 4 Preliminary noise enquiry	39